

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 4 (replaces version 3)

Revision: 01.02.2023

Page 1/10

	cation of the substance/mixture and of the company/undertaking
1.1 Product identifier	
No further relevant infor Sector of Use SU3 Industrial uses: U SU22 Professional use Product category PC9	d uses of the substance or mixture and uses advised against
1.3 Details of the supp Manufacturer/Supplier FEYCOLOR GmbH Maxhüttenstraße 6 93055 Regensburg Germany	plier of the safety data sheet er:
Tel.: +49 (0) 941-60497 Fax: +49 (0) 941-60497 info@feycolor.com www	7-30
Office hours: Monday - Thursday: 08: Friday: 08:00 - 12:00	3:00 - 12:00 und 13:00 - 16:00
Email: sd@feycolor.con www.feycolor.com 1.4 Emergency telepho	m none number: +49 (0) 700 24 11 21 12 (FCM)
SECTION 2: Hazards	s identification
	he substance or mixture ing to Regulation (EC) No 1272/2008
Flam. Liq. 3 H226	Flammable liquid and vapour.
$\langle \mathbf{i} \rangle$	
Acute Tox. 4 H332 Skin Sens. 1 H317 STOT SE 3 H335-H33	Harmful if inhaled. May cause an allergic skin reaction. 36 May cause respiratory irritation. May cause drowsiness or dizziness.



Safety data sheet according to 1907/2006/EC, Article 31

Page 2/10

GB

Printing date 01.02.2023

Version number 4 (replaces version 3)

Revision: 01.02.2023

Trade name: FEYCOPUR Härter 10

Visite Visite Visite Visite <td< th=""><th>· Hazard pictog</th><th>(Contd. of page 1)</th></td<>	· Hazard pictog	(Contd. of page 1)
 Signal word Warning Hazard-determining components of labelling: Hexamethylene diisocyanate, oligomers 2-Butoxyethyl acetate n-Butyl acetate 2-Methoxy-1-methylethyl acetate Hazard Statements H226 Flammable liquid and vapour. H332 Harmful if inhaled. H317 May cause an allergic skin reaction. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		
 Signal word Warning Hazard-determining components of labelling: Hexamethylene diisocyanate, oligomers 2-Butoxyethyl acetate n-Butyl acetate 2-Methoxy-1-methylethyl acetate Hazard Statements H226 Flammable liquid and vapour. H332 Harmful if inhaled. H317 May cause an allergic skin reaction. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. 3.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		
 Hazard-determining components of labelling: Hexamethylene diisocyanate, oligomers 2-Butoxyethyl acetate n-Butyl acetate 2-Methoxy-1-methylethyl acetate Hazard statements H226 Flammable liquid and vapour. H332 Harmful if inhaled. H317 May cause an allergic skin reaction. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Results of PBT and vPvB assessment PBT: Not applicable. 	GHS02 GHS	07
Hexamethylene diisocyanate, oligomers 2-Butoxyethyl acetate n-Butyl acetate 2-Methoxy-1-methylethyl acetate Hazard statements H226 Flammable liquid and vapour. H332 Harmful if inhaled. H317 May cause an allergic skin reaction. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Results of PBT and vPvB assessment PBT: Not applicable. PBT: Not applicable.	· Signal word W	/arning
 2-Butoxyethyl acetate n-Butyl acetate 2-Methoxy-1-methylethyl acetate Hazard statements H226 Flammable liquid and vapour. H332 Harmful if inhaled. H317 May cause an allergic skin reaction. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Results of PBT and vPvB assessment PBT: Not applicable. 		
 n-Butyl acetate 2-Methoxy-1-methylethyl acetate Hazard statements H226 Flammable liquid and vapour. H332 Harmful if inhaled. H317 May cause an allergic skin reaction. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Results of PBT and vPvB assessment PBT: Not applicable. 		
 2-Methoxy-1-methylethyl acetate Hazard statements H226 Flammable liquid and vapour. H332 Harmful if inhaled. H317 May cause an allergic skin reaction. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Results of PBT and vPvB assessment PBT: Not applicable. 		cetate
 Hazard statements H226 Flammable liquid and vapour. H332 Harmful if inhaled. H317 May cause an allergic skin reaction. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		ethylethyl acetate
 H226 Flammable liquid and vapour. H332 Harmful if inhaled. H317 May cause an allergic skin reaction. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	,	
 H317 May cause an allergic skin reaction. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		
 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Results of PBT and vPvB assessment PBT: Not applicable. 		
Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. PBT: Not applicable.		
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		
 smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	FZIU	
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	P261	
shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. 2.3 Other hazards Results of PBT and vPvB assessment • PBT: Not applicable.		Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	P303+P361+P3	
 P312 Call a POISON CENTER/doctor if you feel unwell. Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		
 Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 		
EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.	-	
EUH204 Contains isocyanates. May produce an allergic reaction. Restricted to professional users. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.		
Restricted to professional users. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.		
• Results of PBT and vPvB assessment • PBT: Not applicable.		
• PBT: Not applicable.		
· VPVB: Not applicable.		
	· vPvB: Not appl	icable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 		
CAS: 28182-81-2 NLP: 500-060-2 Reg.nr.: 01-2119485796-17	Hexamethylene diisocyanate, oligomers Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335, EUH204	50-100%
CAS: 123-86-4 EINECS: 204-658-1 Reg.nr.: 01-2119485493-29	n-Butyl acetate Flam. Liq. 3, H226;	10-25%
CAS: 108-65-6 EINECS: 203-603-9 Reg.nr.: 01-2119475791-29	2-Methoxy-1-methylethyl acetate Flam. Liq. 3, H226; () STOT SE 3, H336	10-25%
	(Cont	d. on page 3)



Page 3/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 4 (replaces version 3)

Revision: 01.02.2023

Trade name: FEYCOPUR Härter 10

	(Con	td. of page 2)		
CAS: 112-07-2	2-Butoxyethyl acetate	5-<10%		
EINECS: 203-933-3	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332			
Reg.nr.: 01-2119475112-47				
CAS: 822-06-0	hexamethylene-di-isocyanate	<0.1%		
EINECS: 212-485-8	♦ Acute Tox. 2, H330; ♦ Resp. Sens. 1, H334; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3,			
Reg.nr.: 01-2119457571-37	7 Škin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3,			
	H335, EUH204			
	Specific concentration limits: Resp. Sens. 1; H334: $C \ge 0.5 \%$			
	Skin Sens. 1; H317: C ≥ 0.5 %			
Additional information: For the wording of the listed hazard phrases refer to section 16.				

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Alcohol resistant foam
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Nitrogen oxides (NOx) Carbon monoxide (CO) Hydrogen cyanide (HCN) **5.3 Advice for firefighters**

· Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- \cdot 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 4 (replaces version 3)

Revision: 01.02.2023

Page 4/10

Trade name: FEYCOPUR Härter 10

(Contd. of page 3) Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Contain and collect spillages with non-combustible absorbent materials (e.g. sand, earth, diatomaceous earth) and place in a suitable container. Decontaminate immediately with suitable mixture (flammable): - as such usable (inflammatory!): water 45 Vol.% ethanol or isopropanol 50 Vol.% ammonia solution (Density= 0.88) 5 Vol.% - alternatively (non-flammable): 5 Vol.% sodium carbonate 95 Vol.% water Add the same decontaminant to any residues and allow to stand for several days in an non-sealed container until no further reaction occurs. Once this stage is reached, close the container and dispose of in accordance with the waste regulations (see Section 13). 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Persons with a history of asthma, allergies or chronic or recurrent respiratory diseases should only be employed in processes in which this product is used under appropriate medical supervision. Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- **Information about storage in one common storage facility:** Do not store together with reducing agents, heavy-metal compounds, acids and alkalis. Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed. Store separately from oxidising agents, strongly alkaline and strongly acidic materials, amines, alcohol and water.

• Storage class: 3

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

28182-81-2 Hexamethylene diisocyanate, oligomers

EBW Short-term value: 0.5 mg/m³

exposition evaluation valu TRGS 430 (EBW)

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 4 (replaces version 3)

Revision: 01.02.2023

Trade name: FEYCOPUR Härter 10

123-8	6-4 n-Butyl acetate (Contd. of page 4
	Short-term value: 966 mg/m³, 200 ppm
	Long-term value: 724 mg/m³, 150 ppm
	5-6 2-Methoxy-1-methylethyl acetate
WEL	Short-term value: 548 mg/m ³ , 100 ppm
	Long-term value: 274 mg/m³, 50 ppm Sk
	7-2 2-Butoxyethyl acetate
WEL	Short-term value: 332 mg/m³, 50 ppm Long-term value: 133 mg/m³, 20 ppm Sk
822-0	6-0 hexamethylene-di-isocyanate
WEL	Short-term value: 0.07 mg/m ³
	Long-term value: 0.02 mg/m ³
	Sen; as -NCO
-	dients with biological limit values:
822-0	6-0 hexamethylene-di-isocyanate
DIVIG	 / 1 µmol creatinine/mol Medium: urine Sampling time: At the end of the period od exposure Parameter: isocyanate-derived diamine
· Addit	ional information: The lists valid during the making were used as basis.
 Approvide the second state of the	Appriate controls opriate engineering controls No further data; see item 7. idual protection measures, such as personal protective equipment ersonal protective equipment, including respiratory protecitve equipment, used to control exposure to dous substances must be selected to meet the requirements of the COSHH Regulations. ral protective and hygienic measures: diately remove all soiled and contaminated clothing hands before breaks and at the end of work. iratory protection: A/P2 (EN 141, EN 143)
	In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longe exposure use self-contained respiratory protective device.
· Hand	protection
	Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves Butyl rubber, BR

Recommended thickness of the material: ≥ 0.7 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6) GB

Page 5/10



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 01.02.2023

Printing date 01.02.2023

Version number 4 (replaces version 3)

Trade name: FEYCOPUR Härter 10

· Breakthrough time of glove material

(Contd. of page 5)

For the mixture of chemicals the penetration time has to be at least 60 minutes (Permeation according to EN 374 Part 3: Level 3).

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties		
• 9.1 Information on basic physical and chemical p	roperties	
· General Information	•	
· Physical state	Fluid	
· Colour:	According to product specification	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
 Melting point/freezing point: 	Undetermined.	
· Boiling point or initial boiling point and boiling		
range	124-128 °C (123-86-4 n-Butyl acetate)	
· Flammability	Flammable.	
· Lower and upper explosion limit		
· Lower:	1.2 Vol % (123-86-4 n-Butyl acetate)	
· Upper:	10.8 Vol % (108-65-6 2-Methoxy-1-methylethyl acetate)	
· Flash point:	27 °C (DIN 53213, 123-86-4 n-Butyl acetate)	
Ignition temperature:	280 °C (DIN 51794, 112-07-2 2-Butoxyethyl acetate)	
Decomposition temperature:	Not determined.	
· pH	Not determined.	
· Viscosity:		
 Kinematic viscosity at 20 °C 	10-15 s (DIN 53211/4)	
· Dynamic:	Not determined.	
· Solubility		
· water:	Not miscible or difficult to mix.	
 Partition coefficient n-octanol/water (log value) 	Not determined.	
· Vapour pressure at 20 °C:	10.7 hPa (123-86-4 n-Butyl acetate)	
Density and/or relative density		
· Density at 20 °C:	1.036 g/cm³ (DIN 53217)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· 9.2 Other information		
· Appearance:		
· Form:	Fluid	
· Important information on protection of health an		
environment, and on safety.	4	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product is not explosive. However, formation of explosive	
	air/vapour mixtures are possible.	
· Solvent content:		
· VOC (EC)	45.99 %	
	(Contd. on page 7) GB	
	GD	



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 4 (replaces version 3)

Revision: 01.02.2023

Trade name: FEYCOPUR Härter 10

		(Contd. of page
Solids content (weight-%):	54.0 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard c	lasses	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** Possible in traces.

Nitrogen oxides Hydrogen chloride (HCl) Hydrogen cyanide (prussic acid) Carbon monoxide Nitrogen oxides (NOx)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if inhaled.
- \cdot Respiratory or skin sensitisation May cause an allergic skin reaction.
- STOT-single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

(Contd. on page 8)

GB



Page 8/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 4 (replaces version 3)

Revision: 01.02.2023

Trade name: FEYCOPUR Härter 10

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) : slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	UN1263	
	011205	
14.2 UN proper shipping name		
ADR	UN1263 PAINT RELATED MATERIAL	
IMDG, IATA	PAINT RELATED MATERIAL	
14.3 Transport hazard class(es) ADR		
Class	3 (F1) Flammable liquids.	



Page 9/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 4 (replaces version 3)

Revision: 01.02.2023

Trade name: FEYCOPUR Härter 10

	(Contd. of page 8
· Label	3
· IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
 14.4 Packing group ADR, IMDG, IATA 	III
 14.5 Environmental hazards: Marine pollutant: 	Νο
 14.6 Special precautions for user 	Warning: Flammable liquids.
• Hazard identification number (Kemler code):	30
 EMS Number: Stowage Category 	F-E, <u>S-E</u> A
• 14.7 Maritime transport in bulk according to IM	0
instruments	Not applicable.
· Transport/Additional information:	
· ADR	
Limited quantities (LQ)	5L
 Transport category Tunnel restriction code 	3 D/F
	D/E
 IMDG Limited quantities (LQ) 	5L
· UN "Model Regulation":	UN 1263 PAINT RELATED MATERIAL, 3, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• Seveso category P5c FLAMMABLE LIQUIDS

· Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· National regulations:

Additional classification according to Decree on Hazardous Materials, Annex II:

Class Share in % NK 25-50

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)

GB



Page 10/10

(Contd. of page 9)

GR

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 4 (replaces version 3)

Revision: 01.02.2023

Trade name: FEYCOPUR Härter 10

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- Flammable liquid and vapour. H226
- Harmful if swallowed. H302
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH204 Contains isocyanates. May produce an allergic reaction.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

** Data compared to the previous version altered.