


according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 153 (replaces version 152)

Revision: 01.02.2023



Page 1/9



Page 2/9

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 153 (replaces version 152)

Revision: 01.02.2023

Trade name: FEYCOLOR Silikonentferner 202

(Contd. of page 1) STOT SE 3 H336 May cause drowsiness or dizziness. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms GHS02 GHS07 GHS08 GHS09 · Signal word Danger · Hazard-determining components of labelling: Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics Hazard statements H225 Highly flammable liquid and vapour. H336 May cause drowsiness or dizziness. H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. P261 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Do NOT induce vomiting. P331 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. · 2.3 Other hazards Results of PBT and vPvB assessment · **PBT:** Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients · 3.2 Mixtures · Description: Mixture of substances listed below with nonhazardous additions. **Dangerous components:** EC number: 920-750-0 Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics 50-100% 🚸 Flam. Liq. 2, H225; 🚸 Asp. Tox. 1, H304; 🚸 Aquatic Chronic 2. Reg.nr.: 01-2119473851-33 H411; 🔿 STOT SE 3, H336, EUH066 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics EC number: 919-857-5 10-25% Reg.nr.: 01-2119463258-33 🚸 Flam, Lig. 3. H226: 🚸 Asp. Tox. 1. H304: 🚸 STOT SE 3. H336. EUH066 (Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 153 (replaces version 152)

Revision: 01.02.2023

(Contd. of page 2)

Page 3/9

Trade name: FEYCOLOR Silikonentferner 202

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Seek immediate medical advice.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Alcohol resistant foam
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- $^{\circ}$ 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

• **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 153 (replaces version 152)

Revision: 01.02.2023

(Contd. of page 3)

Trade name: FEYCOLOR Silikonentferner 202

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store in a cool location.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Storage class: 3

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

• Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: \geq 0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Breakthrough time of glove material Value for the permeation: Level ≤ 3

(Contd. on page 5)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 153 (replaces version 152)

Revision: 01.02.2023

(Contd. of page 4)

Trade name: FEYCOLOR Silikonentferner 202

· Eye/face protection

Tightly sealed goggles

SECTION 9: Physical and chemical propertie	S
• 9.1 Information on basic physical and chemical p	roperties
General Information	
· Physical state	Fluid
· Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling	
range	100-140 °C (Hydrocarbons, C7-C9, n-alkanes,
	isoalkanes, cyclics)
· Flammability	Highly flammable.
· Lower and upper explosion limit	
Lower:	0.9 Vol %
· Upper:	8 Vol %
· Flash point:	-8 °C (DIN 53213)
Ignition temperature:	240 °C (DIN 51794)
· Decomposition temperature:	Not determined.
· pH	Not determined.
Viscosity:	
· Kinematic viscosity at 20 °C	11 s (DIN 53211/4)
Dynamic:	Not determined.
· Solubility	
· water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
Density and/or relative density	
· Density at 20 °C:	0.743 g/cm³ (DIN 53217)
· Relative density	Not determined.
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health ar	
environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive
	air/vapour mixtures are possible.
· Solvent content:	
· VOC (EC)	100.00 %
· Solids content (weight-%):	0.0 %
Condo Content (weight- /0).	
(Contd. on page 6	

Page 5/9



according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 153 (replaces version 152)

Revision: 01.02.2023

Trade name: FEYCOLOR Silikonentferner 202

Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard classe	S	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Highly flammable liquid and vapour.	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable		
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: Carbon monoxide

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause drowsiness or dizziness.
- · Aspiration hazard May be fatal if swallowed and enters airways.
- 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

 \cdot Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 7)

Page 6/9



according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 153 (replaces version 152)

Revision: 01.02.2023

(Contd. of page 6)

Trade name: FEYCOLOR Silikonentferner 202

• **12.3 Bioaccumulative potential** No further relevant information available.

- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) : hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

 14.1 UN number or ID number ADR, IMDG, IATA 	UN3295
ADR, INIDO, IATA	010233
14.2 UN proper shipping name	
ADR	UN3295 HYDROCARBONS, LIQUID, N.O.S
	ENVIRONMENTALLY HAZARDOUS
IMDG	HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C
	C9), MARINE POLLUTANT
ΙΑΤΑ	HYDROCARBONS, LIQUID, N.O.S.
14.3 Transport hazard class(es)	
ADR	
Class	3 (F1) Flammable liquids.
	(Contd. on page

Page 7/9



Page 8/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 153 (replaces version 152)

Revision: 01.02.2023

Trade name: FEYCOLOR Silikonentferner 202

(Contd. of page 7) · Label 3 · IMDG · Class 3 Flammable liquids. · Label 3 ·IATA · Class 3 Flammable liquids. · Label 3 • 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: Product contains environmentally hazardous substances: Hydrocarbons, C7-C9 Yes · Marine pollutant: Symbol (fish and tree) • Special marking (ADR): Symbol (fish and tree) · 14.6 Special precautions for user Warning: Flammable liquids. · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-D Stowage Category В 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) 1L · Transport category 2 · Tunnel restriction code D/E · IMDG · Limited quantities (LQ) 1L **UN "Model Regulation":** UN 3295 HYDROCARBONS, LIQUID, N.O.S. 3, II, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- GB



according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 153 (replaces version 152)

Revision: 01.02.2023

Trade name: FEYCOLOR Silikonentferner 202

(Contd. of page 8)

Page 9/9

- Seveso category E2 Hazardous to the Aquatic Environment
- P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- National regulations:
- · Additional classification according to Decree on Hazardous Materials, Annex II:

Class	Share in %
NK	50-100

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- Highly flammable liquid and vapour. H225
- Flammable liquid and vapour. H226
- May be fatal if swallowed and enters airways. H304
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 2: Flammable liquids Category 2 Flam. Liq. 3: Flammable liquids Category 3
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- Asp. Tox. 1: Aspiration hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.