

according to 1907/2006/EC, Article 31

Printing date 07.01.2022

Version number 1

Revision: 07.01.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 I Touuct luchtmen

Trade name: RELAFLOOR 5570 2K EP Verlaufsmasse

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Coating material

### · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: FEYCOLOR GmbH Maxhüttenstraße 6 93055 Regensburg Germany

Tel.: +49 (0) 941-60497-0 Fax: +49 (0) 941-60497-30 info@feycolor.com www.feycolor.com

Office hours: Monday - Thursday: 08:00 - 12:00 und 13:00 - 16:00 Friday: 08:00 - 12:00

Email: sd@feycolor.com www.feycolor.com

• **1.4 Emergency telephone number:** +49 (0) 700 24 11 21 12 (FCM)

H226 Flammable liquid and vapour.

## **SECTION 2: Hazards identification**

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008



flame

Flam. Liq. 3

. . . . . .

Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Aquatic Chronic	3 H412 Harmful to aquatic life with long lasting effects.

#### · 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

- GB

Page 1/9



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.01.2022

Version number 1

Revision: 07.01.2022

Trade name: RELAFLOOR 5570 2K EP Verlaufsmasse

· Hazard pi	(Contd. of page 1)
she	
GHS02	GHS07
· Signal wor	rd Warning
· Hazard-de	etermining components of labelling:
	epoxypropoxy)phenyl]propane
	yde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol
	ono[(C12-14-alkyloxy)methyl] derivs
· Hazard sta	
	mable liquid and vapour.
	ses skin irritation.
	ses serious eye irritation.
	cause an allergic skin reaction.
	nful to aquatic life with long lasting effects.
	nary statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210 P261	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P201 P280	Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	1+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
	1+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
1 303 11 351	to do. Continue rinsing.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
	l information:
	Contains epoxy constituents. May produce an allergic reaction.
• 2.3 Other	
	PBT and vPvB assessment
• <b>PBT:</b> Not a	
• <b>vPvB:</b> Not	applicable.
GECTIO	
SECTION	N 3: Composition/information on ingredients
· 3.2 Chemi	cal characterisation: Mixtures
	n: Mixture of substances listed below with nonhazardous additions.
· Dangerous	s components:
CAS: 1675	i-54-3 Bis[4-(2,3-epoxypropoxy)phenyl]propane ≥10-<25%

CAS: 16/5-54-3	Bis[4-(2,3-epoxypropoxy)phenyl]propane	≥10-<25%
EINECS: 216-823-5	Aquatic Chronic 2, H411; 🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin	
Reg.nr.: 01-2119456619-26	Sens. 1, H317	
CAS: 9003-36-5	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and	2.5-<10%
NLP: 500-006-8	phenol	
Reg.nr.: 01-2119454392-40	Aquatic Chronic 2, H411; 🚸 Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	2.5-<10%
EINECS: 271-846-8	🚯 Skin Irrit. 2, H315; Skin Sens. 1, H317	
Reg.nr.: 01-2119485289-22		
	(Co	ontd. on page 3)

- GB



according to 1907/2006/EC, Article 31

Printing date 07.01.2022

Version number 1

Revision: 07.01.2022

(Contd. of page 2)

Trade name: RELAFLOOR 5570 2K EP Verlaufsmasse

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.

#### • 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

# · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

<sup>.</sup> Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

(Contd. on page 4)

GR

#### Page 3/9



according to 1907/2006/EC, Article 31

Printing date 07.01.2022

Version number 1

Revision: 07.01.2022

(Contd. of page 3)

Trade name: RELAFLOOR 5570 2K EP Verlaufsmasse

Protect against electrostatic charges.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 3

• 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:


Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.





In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### • Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Breakthrough time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

GB

Page 4/9



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.01.2022

Version number 1

Revision: 07.01.2022

(Contd. of page 4)

# Trade name: RELAFLOOR 5570 2K EP Verlaufsmasse



Tightly sealed goggles

9.1 Information on basic physical and c	hemical properties
General Information Appearance:	
Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	:>320 °C
Flash point:	24 °C (DIN EN ISO 1523:2002)
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtur are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.122 g/cm <sup>3</sup> (DIN EN ISO 2811-1)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic at 20 °C:	10,000 mPas
Kinematic:	Not determined.
Solvent content:	
VOC (EC)	2.36 %
Solids content (weight-%):	97.6 %
	(Contd. on page



according to 1907/2006/EC, Article 31

Printing date 07.01.2022

Version number 1

Revision: 07.01.2022

(Contd. of page 5)

Trade name: RELAFLOOR 5570 2K EP Verlaufsmasse

• 9.2 Other information

No further relevant information available.

#### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- $\cdot$  10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Possible in traces.

Nitrogen oxides

Hydrogen chloride (HCl)

Carbon monoxide

Nitrogen oxides (NOx)

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish

(Contd. on page 7)

Page 6/9



according to 1907/2006/EC, Article 31

Printing date 07.01.2022

Version number 1

Revision: 07.01.2022

(Contd. of page 6)

Trade name: RELAFLOOR 5570 2K EP Verlaufsmasse

· Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) : hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

• Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	UN1263	
· 14.2 UN proper shipping name · ADR · IMDG, IATA	UN1263 PAINT PAINT	
· 14.3 Transport hazard class(es)		
· ADR		
·Class	3 (F1) Flammable liquids.	
· Label	3	
· IMDG, IATA		
· Class	3 Flammable liquids.	
· Label	3	
· 14.4 Packing group · ADR, IMDG, IATA	III	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Warning: Flammable liquids.	
		(Contd. on page

--- Gl

Page 7/9



Printing date 07.01.2022

Safety data sheet

according to 1907/2006/EC, Article 31 Version number 1

Revision: 07.01.2022

Trade name: RELAFLOOR 5570 2K EP Verlaufsmasse

	(Contd. of	page
· Hazard identification number (Kemler code):	30	
· EMS Number:	F-E, <u>S-E</u>	
· Stowage Category	A	
· 14.7 Transport in bulk according to Annex II of M		
and the IBC Code	Not applicable.	
· Transport/Additional information:		
· ADR		
· Limited quantities (LQ)	5L	
· Transport category	3	
· Tunnel restriction code	D/E	
· Remarks:	≤ 450 l: 2.2.3.1.5 ADR	
· IMDG		
· Limited quantities (LQ)	5L	
· Remarks:	≤ 30 1: 2.2.3.5 IMDG-Code	
· UN "Model Regulation":	UN 1263 PAINT, 3, III	

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

· Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· National regulations:

• Additional classification according to Decree on Hazardous Materials, Annex II:

Class	Share in %
NK	≥1-<2.5

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

#### · Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 9)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.01.2022

Version number 1

Revision: 07.01.2022

(Contd. of page 8)

Trade name: RELAFLOOR 5570 2K EP Verlaufsmasse

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 Page 9/9